CircleMUD Wizard Commands

Jeremy Elson

December 9, 2001

Abstract

Help text for all priveldged CircleMUD commands. File is in help text format so that it can be pasted into the lib/text/help_text if online help is desired. Intended Audience: CircleMUD immortals, Gods, and player administrators.

ADVANCE

advance <victim> <level>

ADVANCE moves a player to a new level. If used to promote a player to an immortal level, and if you have the autowiz program installed, the wizlist and immlist will automatically be recreated.

> advance rasmussen 34
#
WIZAT

AT can be used to perform an action in a location other than where you are standing. The first argument can be a virtual room number or the name of a character or object. The remainder of the line is passed to the command interpreter.

> at 3001 look
> at fido kill fido
> at 3.corpse get all corpse

See also: GOTO

#

BAN UNBAN

These commands prevent anyone from a site with a hostname containing the

site substring from logging in to the game. You may ban a site to ALL, NEW or SELECT players. Banning a site to NEW players prevents any new players from registering. Banning a site to ALL players disallows ANY connections from that site. Banning a site SELECTively allows only players with site-ok flags to log in from that site. Ban with no argument returns a list of currently banned sites.

Unban removes the ban.

```
ban [<'ALL' | 'NEW' | 'SELECT'> <site>]
unban <site>
```

> ban new ai.mit.edu

> unban ai.mit.edu

#

DATE

Shows the current real time.

#

DC

dc <descriptor number>

DC (DisConnect) is used to disconnect a socket. If used on a playing socket, the player will lose his/her link, but, unlike PURGE, will not extract the player or dump the player's inventory on the ground.

DC is also useful for disconnecting people who have accidentally left themselves at the main menu, or connections sitting in the "Get name" state.

```
See also: USERS
```

#

ECHO GECHO SEND

```
echo <message>
gecho <message>
send <victim> <message>
```

ECHO displays a string to everyone in your room. GECHO displays the string to everyone in the game. SEND displays the string to a particular person.

```
> echo Hi, everyone in the room.
```

#

> gecho Hi, everyone in the game, isn't this annoying?

> send rasmussen You are being watched.

FORCE

FORCE forces a character, either monster or player, to perform a certain action. FORCE ALL forces everyone in the game; FORCE ROOM forces everyone in your room.

```
> force fido drop meat
> force all save
> force room look fido
#
FREEZE THAW
```

FREEZE, originally invented here at CircleMUD (we think), is used to prevent a player from playing. If frozen, the game will ignore all commands entered by the player, including QUIT, until the player is unfrozen with THAW.

Obviously, this command should only be used in extreme disciplinary circumstances.

See also: SET FROZEN
#
GOTO TRANS WIZTELEPORT

goto <location>
trans <victim>
teleport <victim> <location>

These commands are used to transports yourself and others to different rooms. GOTO allows you to go to other rooms; TRANS transports a person from wherever they are to the room YOU are in; TELEPORT transports your victim to some other location.

For both GOTO and TELEPORT, the location specifier can be either a virtual room number, or the name of a character or object.

```
> goto 3001
> goto rasmussen
> trans fido
> teleport fido 3001
> teleport fido 2.fido
```

See also: WIZAT, SET ROOM, POOFIN
#

HANDBOOK

Guidelines for having an Immortal character -- you should read it. $\mbox{\#}$

A toggle which allows you to see:

Invisible people and objects, even if you don't have 'detect invisibility' Hidden people, even if you don't have 'sense life' Dark rooms, even if you don't have a light

It is expected most immortals will keep HOLYLIGHT on most of the time; it exists so that you have the ability to see what mortals see for debugging purposes.

#

INVIS

HOLYLIGHT

invis [level]

INVIS sets your invisibility level. With no argument, invis toggles between making you fully visible and fully invisible. If you specify a level, only people at and above the level you specify will be able to see you.

> invis

> invis 31

#

LAST

last <player_name>

For checking the last time a person logged on, their sitename, and their ID number.

> last rasmussen

#

LOAD

load <mob|obj> <virtual number>

LOAD is used to create mobiles and objects. The first argument specifies if you are trying to load a mobile or an object; the second is the virtual number.

> load obj 3099

> load char 3005

See also: VNUM

#

MUTE

MUTE is used to shut a player up; if a player is muted, he/she will not be able to use most communication channels until he/she is unmuted.

> mute MrNoisy

#

NOHASSLE

Toggles a flag to prevent aggressive monsters from attacking.

#

NOTITLE

NOTITLE is used to prevent players from being able to set their own titles; i.e., if the player consistently has an offensive title. The definition of offensive is left as an exercise for the reader.

#

NOWIZ

Allows you to hear or ignore messages coming over the wizline.

See also: WIZNET

#

PAGE

page <player|'all'> <message>

PAGE is used to send a message, along with a beep, to another player. Use PAGE ALL to send a message and a beep to everyone in the game.

- > page rasmussen Hey, are you still at the keyboard?
- > page all GAME WILL BE SHUTTING DOWN IN 10 MINUTES

Do not abuse this command.

#

PARDON

Removes killer and thief flags from a player.

#

POOFIN POOFOUT

Sets the message seen by players when you use GOTO to move to a different room. POOFIN with no argument resets your poofin to the default "appears with an ear-splitting bang"; POOFOUT with no argument defaults to "disappears in

```
See also: GOTO
PURGE
purge [name]
Purge destroys things. If used with no arguments, it will clear a room of all
mobiles and objects, but will not harm players. If the argument is an object,
that object (and all of its contents, if any) will be destroyed. If the
argument is a mobile, the mobile will be destroyed, leaving its inventory and
equipment lying on the ground.
If the argument is the name of a player, the player's inventory and equipment
will drop on the ground and the player will lose his/her connection. For this
reason, PURGE should only be used on players in disciplinary situations.
> purge
> purge <character>
> purge <object>
See also: DC
REBOOT
reboot <'*'|file>
REBOOT is used to load text files such as the MOTD from disk into memory.
REBOOT * reads all text files. Valid files are:
REROLL
reroll <player>
REROLL gives a player new stats (i.e., str, int, wis, dex, and con.)
RESTORE
RESTORE restores a player or mobile to full hit, mana, and move points. If
used on immortals, it sets all skill levels to 100%.
#
RETURN
```

a puff of smoke."

RETURN returns you to your regular body if you are switched.

See also: SWITCH

#

ROOMFLAGS

Toggles a flag which causes the virtual room number and room flags, if any, to be displayed next to room names.

SET

set [file|player] <character> <field> <value>

SET is an extremely powerful command, capable of setting dozens of aspects of characters, both players and mobiles.

SET PLAYER forces set to look for a player and not a mobile; useful for players with lame names such as 'guard'.

SET FILE lets you change players who are not logged on. If you use SET FILE on a player who IS logged on, your change will be lost. If you wish to set a player who is in the game but is linkless, use set twice -- once with the FILE argument, and once without -- to make sure that the change takes.

For toggled fields, the value must be ON, OFF, YES, or NO.

Look at do_set in act.wizard.c for a list of valid set fields.

See also: STAT

#

SHOW

show <mode> [argument]

The SHOW command displays information. Some modes of show require additional information, such as a player name. Show without any arguments shows a list of valid modes.

#

SHUTDOWN

shutdown [reboot|die|pause]

SHUTDOWN shuts the MUD down. The SHUTDOWN command works in conjunction with CircleMUD's 'autorun' script. If you are not using autorun, the arguments are meaningless. If you are using autorun, the following arguments are available:

REBOOT Pause only 5 seconds instead of the normal 60 before trying to

restart the MUD.

DIE Kill the autorun script; the MUD will not reboot until autorun is

explicitly run again.

PAUSE Create a file called 'paused' in Circle's root directory; do not

try to restart the MUD until 'paused' is removed.

#

SLOWNS

Toggles the namserver_is_slow setting. See circle/src/config.c for more information.

#

SNOOP

Snoop allows you to listen in on another player's session; everything the player sees or types will be displayed on your terminal preceded by a '%'.

Obviously, there are many ethical considerations to the use of this command; snoop should be used minimally, and only for disciplinary purposes.

Type snoop <your name> to stop snooping.

#

SNOWBALL

Snowball is just a social -- it prints a funny message, and nothing more.

#

STAT

STAT [player|object|mobile|file] <name>

Gives information about players, monsters, and objects in the game. The type argument is optional.

STAT PLAYER will search only for players; useful for statting people with lame names such as Red or Cityguard.

STAT OBJECT will search only for objects.

STAT MOBILE will search only for monsters.

STAT FILE is used to stat players who are not logged in; the information displayed comes from the playerfile.

> stat fido

```
> stat mobile red
> stat file rasmussen
> stat object thunderbolt
See also: VSTAT
SWITCH
switch <monster>
SWITCH is used to take over the body of mobiles; useful for interactive
adventures.
See also: RETURN
SYSLOG
The SYSLOG command controls how detailed of an on-line system log you see.
Messages surrounded by '[' and ']' are syslog messages and are in green
if you have color on.
The messages you receive are level dependent.
syslog <off | brief | normal | complete>
> syslog complete
> syslog off
See also: COLOR
UNAFFECT
unaffect <victim>
Removes all affections (i.e., spell effects) from a player.
UPTIME
Displays when the game was booted and calculates how long ago that was.
> uptime
USERS
```

> stat player red

USERS gives a list of all sockets (i.e., connections) currently active on the MUD. The multi-column display shows the socket number (used by DC), class, level, and name of the player connected, connection state, idle time, and hostname.

The following switches are available:

wizlock [value]

```
-k or -o
          Show only outlaws (killers and thieves)
           Show only sockets in the playing sockets
-p
-d
           Show only non-playing (deadweight) sockets.
-1 min-max Show only sockets whose characters are from level min to max
-n <name> Show the socket with <name> associated with it.
-h <host> Show all sockets from <host>.
-c list
          Show only sockets whose characters' classes are in list
See also: DC
VNUM
vnum <mob|obj> <name>
Gives a list of the virtual numbers of objects or mobiles which have the
specified name.
> vnum obj ring
> vnum mob dragon
VSTAT
vstat <mob|obj> <virtual number>
Used to stat a prototypical mobile or object by virtual number.
> vstat obj 3000
> vstat mob 3001
See also: STAT VNUM LAOD
WIZHELP
Gives a list of the special commands available at your level.
WIZLOCK
```

WIZLOCK allows you to restrict the game. WIZLOCK 1 prevents new characters from being created. WIZLOCK n, 2 <= n <= 34, prevents new characters and allows only characters level n and above to log on. WIZLOCK with no argument displays the current WIZLOCK level.

#

WIZNET ;

The immortal communication channel.

```
wizsay [ '@' | '+' | '-' | '#' ] [<text>]
```

>; <text> - just sends text

>; @ - shows all gods that are on and visible to you

- also shows if the gods who are visible to you are writing

>; + - allows you to hear the wizchannel

>; - - turns off the wizchannel

This code was provided by Gnort.

See also: NOWIZ

#

ZRESET

zreset <zone | '*' | '.'>

Used to force a zone to reset. '*' forces all zones to reset. '.' forces the zone you are in to reset.

See also: SHOW ZONES

#~